

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.ispto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/689,928	10/12/2000	Arihiro Takeda	2803.64683	7460	
75	590 03/25/2003				
Patrick G. Burns			EXAMINER		
Greer, Burns & Crain, Ltd. 300 S WACKER DRIVE			NGUYEN, DUNG T		
25TH FLOOR Chicago, IL 60606			ART UNIT	PAPER NUMBER	
Cincago, ID	0000		2871		
			DATE MAILED: 03/25/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

De

Office Action Summary

Application No. 09/689,928

Applicant(s)

Takeda et al.

Examiner

Dung Nguyen

Art Unit **2871**

	The MAILING DATE of this communication appears	on the cove	r sheet wi	ith the correspondence address			
	for Reply		_				
	ORTENED STATUTORY PERIOD FOR REPLY IS SET T MAILING DATE OF THIS COMMUNICATION.	TO EXPIRE	<u> 3</u>	MONTH(S) FROM			
	ions of time may be available under the provisions of 37 CFR 1.136 (a). In residue of this appropriation	no event, howe	ver, may a rep	ply be timely filed after SIX (6) MONTHS from the			
- If the p	gdate of this communication. period for reply specified above is less than thirty (30) days, a reply within the						
-	period for reply is specified above, the maximum statutory period will apply as to reply within the set or extended period for reply will, by statute, cause the	-		_			
•	ply received by the Office later than three months after the mailing date of the patent term adjustment. See 37 CFR 1.704(b).	nis communicati	ion, even if tir	mely filed, may reduce any			
Status							
1) 💢	Responsive to communication(s) filed on Jan 6, 200	<u> </u>		·			
2a) 💢	This action is FINAL . 2b) ☐ This acti	ion is non-f	final.				
3) 🗆	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11; 453 O.G. 213.						
Disposi	tion of Claims						
4) 💢	Claim(s) 150, 151, 154-160, and 162-170			is/are pending in the application.			
4	a) Of the above, claim(s)			is/are withdrawn from consideration	۱.		
5) 🗆	Claim(s)			is/are allowed.			
6) 💢	Claim(s) 150, 151, 154-160, and 162-170						
7) 🗆	Claim(s)			is/are objected to.			
8) 🗆	Claims		are subje	ect to restriction and/or election requiremen	t.		
Applica	ition Papers						
9) 🗆	The specification is objected to by the Examiner.						
10)□	The drawing(s) filed on is/are	a) 🗆 acc	epted or	b) \square objected to by the Examiner.			
	Applicant may not request that any objection to the di	rawing(s) b	e held in a	abeyance. See 37 CFR 1.85(a).			
11)	The proposed drawing correction filed on		_ is: a)□	approved b) \square disapproved by the Examin	ner.		
	If approved, corrected drawings are required in reply t	o this Offic	e action.				
12)	The oath or declaration is objected to by the Examin	ner.					
Priority	under 35 U.S.C. §§ 119 and 120						
13)□	Acknowledgement is made of a claim for foreign pr	iority unde	r 35 U.S.	.C. § 119(a)-(d) or (f).			
a) [☐ All b)☐ Some* c)☐ None of:						
	1. Certified copies of the priority documents have	e been rec	eived.				
	2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority do application from the International Burea						
*S	ee the attached detailed Office action for a list of the		•				
14) 📙	Acknowledgement is made of a claim for domestic						
_	☐ The translation of the foreign language provisiona						
15)∐	Acknowledgement is made of a claim for domestic	priority un	der 35 U.	.S.C. §§ 120 and/or 121.			
Attachm		a . □		(DTO 410) Decre No(a)			
	otice of References Cited (PTO-892) otice of Draftsperson's Patent Drawing Review (PTO-948)	_	•	(PTO-413) Paper No(s).			
	2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) Notice of Informal Patent Application (PTO-152) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 6) Other:						
	ביייייייייייייייייייייייייייייייייייי	VI Other:					

Application/Control Number: 09/689,928 Page 2

Art Unit: 2871

Response to Amendment

Applicant's amendment dated 01/06/2003 has been received and entered.

Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 150-151, 154-160 and 162-170 stand rejected under 35 U.S.C. 103(a) as being unpatentable over Koma, US Patent No. 5,608,556, in view of Hirata et al., US Patent No. 5953093, as stated in the previous office action.

Applicants contend that neither Koma nor Hirata et al., whether taken alone or in combination, disclose or suggest a liquid crystal display (LCD) device having at least one protrusion to regulate azimuths angles of liquid crystals (amendment, page 3). In particular, Koma fails to show the use of any protrusions to regulate azimuth orientation of liquid crystal molecules since Koma discloses slits that are not equivalent to protrusions as azimuth regulating means in a vertical aligned (VA) device; and Hirata teaches away from the present invention since Hirata fails to teach or suggest protrusions as regulating means for regulating azimuths of liquid crystal orientation since Hirata teaches only an average orienting direction (e.g., pre-tilt). The Examiner agrees that Koma only teaches slits instead of protrusions as claimed; however, regarding the Hirata reference, the Examiner respectfully disagrees with the applicant's viewpoint. In particular, in the Hirata et al. device, when in off state (no voltage applied), liquid crystal

Application/Control Number: 09/689,928 Page 3

Art Unit: 2871

molecules in the liquid crystal layer are controlled by an alignment layer (i.e., pre-tilt) and when in on state (voltage applied between two electrode), the liquid crystal molecules would be controlled by protrusions (line-patterned insulating film 32d) (see col. 12, lines 44-65) in order to improve viewing angle. In other words, Hirata et al. do disclose protrusions as regulating means for regulating azimuths of liquid crystal orientation when a voltage is applied to the liquid crystal (emphasis added). Furthermore, as stated in the previous office action, the Koma reference does disclose a vertical oriental film can be formed in a TN-LCD device (col. 1, lines 45-55). Therefore, the combination of Koma and Hirata et al. would have been obvious to form protrusion in the Koma's device a s stated in the previous office action in order to improve viewing angle (Hirata et al., col 12, ln. 22).

Accordingly, the rejection of the above claims stand.

Response to Arguments

3. Applicant's arguments filed 01/06/2003 have been fully considered but they are not persuasive as noted above.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL.** See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Application/Control Number: 09/689,928

Art Unit: 2871

A shortened statutory period for reply to this final action is set to expire THREE

MONTHS from the mailing date of this action. In the event a first reply is filed within TWO

MONTHS of the mailing date of this final action and the advisory action is not mailed until after

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period

will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR

1.136(a) will be calculated from the mailing date of the advisory action. In no event, however,

will the statutory period for reply expire later than SIX MONTHS from the date of this final

action.

Any inquiry concerning this communication or earlier communications from the examiner,

should be directed to Examiner Dung Nguyen whose telephone number is (703) 305-0423. The

fax phone number for this Group is (703) 308-7722.

Any information of a general nature or relating to the status of this application should be

directed to the group receptionist whose telephone number is (703) 308-0956.

DN

03/24/2003

KENNETH PARKER

Page 4